


PHOTOGRAPHIC
INTERPRETATION
REPORT

SECRET
NO FOREIGN DISSEM

MISSION COVERAGE INDEX

NPIC/R-1662/64
December 1964

MISSIONS RB 10-28 & 10-29, 20 NOVEMBER 1964
MISSION RB 10-30, 23 NOVEMBER 1964




CIA



DIA

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



SECRET
NO FOREIGN DISSEM

GROUP 1
Excluded from automatic
downgrading and declassification

PREFACE

THIS MISSION COVERAGE INDEX (MCI) LISTS THE INTELLIGENCE TARGETS IMAGED ON THE PHOTOGRAPHY OF RUNNING BEAR MISSIONS 10-28 & 10-29, 20 NOVEMBER 1964, AND 10-30, 23 NOVEMBER 1964, COVERING THE REPUBLIC OF THE CONGO (LEOPOLDVILLE).
THIS MCI IS DIVIDED INTO TWO SECTIONS --

SECTION I PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECTION II PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS NAC AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

TARGETS IN EACH SECTION ARE ARRANGED 1) BY COUNTRY, 2) WITHIN THE COUNTRY ACCORDING TO SUBJECT, 3) WITHIN THE SUBJECT BY WAC AREA, AND 4) WITHIN THE WAC AREA BY GEOGRAPHIC COORDINATES IN ASCENDING ORDER. AN EXPLANATION OF COLUMN HEADINGS AND PHOTO REFERENCES USED IN PRESENTING THE INFORMATION IS CONTAINED IN THE APPENDIX. THE MAP BASE

SECRET
NO FOREIGN DISSEM

NPIC/R-1662/64

USED (WHEN AVAILABLE) FOR THE DERIVATION OF COORDINATES IN THIS MCI IS THE LATEST EDITION OF THE AMS SERIES Z901, SCALE 1/200,000.

THE USER OF THIS MCI IS CAUTIONED THAT THE SCAN OF PHOTOGRAPHY WAS ACCOMPLISHED IN A RELATIVELY SHORT TIME AND OFTEN WITHOUT THE AID OF PRECISE ANALYTICAL AND MENSURAL TECHNIQUES COMMONLY EMPLOYED IN DETAILED PHOTOGRAPHIC ANALYSIS. CONSEQUENTLY, ALTHOUGH THE INFORMATION PRESENTED HEREIN IS ESSENTIALLY ACCURATE, ADDITIONAL, DETAILED ANALYSIS MAY SOMEWHAT ALTER PORTIONS OF THE INFORMATION.

SECRET
NO FOREIGN DISSEM

SECTION I

THIS SECTION PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECRET
NO FOREIGN DISSEM

NPIC/R-1662/64

Target	Coordinates	WAC	Target Numbers	
			BE	NPIC
<p>-CONGO (LEOPOLDVILLE)-</p> <p>AIR INSTALLATIONS</p> <p>STANLEYVILLE AREA, AIRFIELD 10 NM EAST OF CENTER OF STANLEYVILLE. ONE RUNWAY UNDER CONSTRUCTION, ONE LARGE BUILDING, ONE DRAGLINE AND 40 OTHER VEHICLES OBSERVED. OBLIQUITY LIMITS INTERPRETATION.</p> <p>[REDACTED]</p>	0029N 02521E	0908		1-G
25X1D			25X1A	
<p>STANLEYVILLE AIRFIELD 2 NM WEST OF STANLEYVILLE. 7,085 X 145 FT WNW/ESE ASPHALT RUNWAY, SERVICEABLE, ONE 65-FT WIDE ASPHALT LINK TAXIWAY, AND ONE 178,000-SQ FT ASPHALT PARKING APRON. NUMEROUS SMALL OBSTACLES OBSERVED ON RUNWAY. FACILITIES -- ONE TERMINAL/CONTROL BUILDING, ONE HANGAR, ONE PROBABLE MAINTENANCE BUILDING, ONE STORAGE BUILDING, AND 7 OTHER BUILDINGS. NO AIRCRAFT OBSERVED.</p> <p>[REDACTED]</p>	0031N 02509E	0908		1-B
25X1A 25X1D				
<p>NDJILI AIRFIELD 5 NM EAST OF THE NDJILI RIVER AND 9.2 NM SE OF LEOPOLDVILLE. NO APPARENT CHANGE IN FACILITIES SINCE</p> <p>[REDACTED]</p>	0423S 01526E	1027	25X1A	6-C
25X1D				

SECRET

SECRET
NO FOREIGN DISSEM

NPIC/R-1662/64

	Target	Coordinates	WAC	Target Numbers	
				BE	NPIC
25X1A	ONE C-124, ONE CONVAIR, 3 T-28, 4 C-54, ONE C-118, 2 T-6, ONE H-21 AND ONE PARTIALLY ASSEMBLED PROBABLE F-86.				
25X1D	[REDACTED]				
	MILITARY INSTALLATIONS			25X1A	
25X1A	STANLEYVILLE ARMY BARRACKS PRINCE CHARLES IN STANLEYVILLE ON SOUTH SIDE OF CONGO RIVER. INSTALLATION CONTAINS AT LEAST 98 BARRACKS, 5 ADMINISTRATION BUILDINGS, AT LEAST 21 STORAGE BUILDINGS, AND AT LEAST 39 OTHER BUILDINGS.	0029N 02511E	0908	[REDACTED]	1-E
25X1D	OBLIQUITY AND FOLIAGE LIMIT INTERPRETATION. [REDACTED]				
25X1A	STANLEYVILLE ARMY BARRACKS KETELE IN THE EASTERN SECTION OF STANLEYVILLE. INSTALLATION CONTAINS 21 BARRACKS, 4 ADMINISTRATION BUILDINGS, 18 STORAGE BUILDINGS, 2 QUARTERS, 7 MAINTENANCE BUILDINGS/VEHICLE SHEDS, AT LEAST 19 OTHER BUILDINGS, A MOTOR POOL, AND 40 UNIDENTIFIED VEHICLES.	0030N 02512E	0908	[REDACTED]	1-D
25X1D	[REDACTED]				
25X1A	STANLEYVILLE ARMY BARRACKS PRINCE LEOPOLD IN NE SECTION OF STANLEYVILLE. INSTALLATION CONTAINS AT LEAST 24	0031N 02512E	0908	[REDACTED]	1-F

SECRET
NO FOREIGN DISSEM

SECRET
NO FOREIGN DISSEM

NPIC/R-1662/64

Target	Coordinates	WAC	Target Numbers	
			BE	NPIC
UNIDENTIFIED BUILDINGS. OBLIQUITY AND FOLIAGE LIMIT INTERPRETATION. [REDACTED]			25X1A	
LEOPOLDVILLE ARMY CAMP LEMBA SE EDGE OF LEOPOLDVILLE. SEVEN ADMINISTRATION BUILDINGS, APPROXIMATELY 460 BARRACKS, APPROXIMATELY 320 QUARTERS, APPROXIMATELY 26 SUPPORT/STORAGE BUILDINGS, AND 27 OTHER BUILDINGS OBSERVED. INCOMPLETE PHOTOGRAPHIC COVERAGE. [REDACTED]	0423S 01520E	1027	[REDACTED]	6-D
THYSVILLE ARMY BARRACKS AND DEPOT CAMP HARDY JUST SE OF THYSVILLE AIRFIELD. CAMP CONTAINS AT LEAST 101 BARRACKS, 3 ADMINISTRATION BUILDINGS, APPROXIMATELY 100 QUARTERS, AND ONE ATHLETIC FIELD. OBLIQUITY LIMITS INTERPRETATION. [REDACTED]	0516S 01450E	1027	[REDACTED]	3-B
ELECTRONICS/COMMUNICATIONS STANLEYVILLE RADIO BROADCASTING STATION GOVT 4.0 NM NORTH OF STANLEYVILLE. INSTALLATION CONTAINS 8 SELF-SUPPORTING LATTICE MASTS, ONE GUYED MAST, ONE HALF- MOON-SHAPED CONTROL BUILDING AND 8 OTHER BUILDINGS. [REDACTED]	0034N 02511E	0908	[REDACTED]	1-K

SECRET

NO FOREIGN DISSEM

SECRET
NO FOREIGN DISSEM

	Target	Coordinates	WAC	Target Numbers	
				BE	NPIC
25X1A 25X1D	<p>BASIC SERVICES</p> <p>THYSVILLE RAILROAD REPAIR SHOPS IN CENTER OF THYSVILLE. INSTALLATION, 13 TRACKS WIDE, CONSISTS OF 2 LARGE REPAIR BUILDINGS (ONE MULTI-BAY) AND 7 SMALL MAINTENANCE/SUPPORT BUILDINGS.</p> <p>[REDACTED]</p>	0515S 01451E	1027	25X1A [REDACTED]	3-C
25X1D 25X1A 25X1D	<p>PORTS AND HARBORS</p> <p>MATADI PORT FACILITIES NO APPARENT CHANGE IN FACILITIES SINCE [REDACTED] VESSELS -- 7 LARGE FREIGHTERS AND NUMEROUS RIVER CRAFT.</p> <p>[REDACTED]</p>	0549S 01328E	1027	[REDACTED]	5-A
25X1A 25X1D	<p>URBAN COMPLEXES</p> <p>THYSVILLE COMPLEX COMPLEX CONTAINS HEAVY RAILROAD REPAIR FACILITIES AND MILITARY BARRACKS. AN AIRFIELD IS LOCATED 3 NM NE OF THYSVILLE.</p> <p>[REDACTED]</p>	0516S 01450E	1027	[REDACTED]	3

SECRET
NO FOREIGN DISSEM

SECTION II

THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS "NAC" AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

SECRET
NO FOREIGN DISSEM

NPIC/R-1662/64

	Target	Coordinates	WAC	Target Numbers	
				BE	NPIC
	-CONGO (LEOPOLDVILLE)-				
	AIR INSTALLATIONS				
25X1A	STANLEYVILLE SEAPLANE STATION	0030N 02508E	0908	25X1A	
25X1D	[REDACTED]				1-A
25X1A	MATADI AIRFIELD	0548S 01326E	1027		5-B
25X1D	[REDACTED]				
25X1A	BOMAVILLE AIRFIELD	0551S 01304E	1027		1-A
25X1D	[REDACTED]				
25X1A	POPOKABAKA AIRFIELD	0545S 01635E	1027		24
25X1D	[REDACTED]				
	MILITARY INSTALLATIONS				
25X1A	BOMA ARMY BARRACKS	0551S 01303E	1027		1-B
25X1D	[REDACTED]				

SECRET
NO FOREIGN DISSEM

Target	Coordinates	WAC	Target Numbers	
			BE	NPIC
[REDACTED] 25X1D			25X1A	
BASIC SERVICES				
STANLEYVILLE HYDRO POWER PLANT TSHOPO	0032N 02510E	0908		1-I
[REDACTED] 25X1D				
MATADI RAILROAD YARD SHOPS & STATION	0549S 01327E	1027		5-G
[REDACTED] 25X1D				
PORTS AND HARBORS				
STANLEYVILLE PORT FACILITIES	0030N 02511E	0908		1-H
[REDACTED] 25X1D				
BOMA PORT FACILITIES	0551S 01303E	1027		1-C
25X1A [REDACTED] 25X1D				
ANGO-ANGO PORT FACILITIES	0551S 01326E	1027		5-C
25X1A [REDACTED] 25X1D				
STORAGE				
STANLEYVILLE PETROLEUM PRODUCTS STORAGE	0032N 02506E	0908		1-J
25X1D [REDACTED] 25X1D				

SECRET

NO FOREIGN DISSEM

SECRET
NO FOREIGN DISSEM

NPIC/R-1662/64

	Target	Coordinates	WAC	Target Numbers	
				BE	NPIC
25X1D	[REDACTED]			25X1A	
25X1A	MATADI EXPLOSIVES STORAGE	0549S 01327E	1027	[REDACTED]	5-F
25X1D	[REDACTED]				
25X1D	ANGO-ANGO PETROLEUM STORAGE PETROCONGO	0550S 01326E	1027		5-D
	[REDACTED]				
	URBAN COMPLEXES				
25X1A	STANLEYVILLE COMPLEX	0030N 02512E	0908		1
25X1D	[REDACTED]				
25X1A	LEOPOLDVILLE COMPLEX	0420S 01521E	1027		6
25X1D	[REDACTED]				
25X1A	MATADI COMPLEX	0549S 01328E	1027		5
25X1D	[REDACTED]				
25X1A	BOMA COMPLEX	0551S 01303E	1027		1
25X1D	[REDACTED]				

SECRET

25X1D

Approved For Release 2000/04/17 : CIA-RDP78B04560A003900010034-9

Approved For Release 2000/04/17 : CIA-RDP78B04560A003900010034-9

SECRET
NO FOREIGN DISSEM

NPIC/R-1662/64

APPENDIX

COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

Coordinates--Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

WAC--This column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to WAC. For example, there is an NPIC target number

0907-15-A and an NPIC target number 0908-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Over-head Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

PHOTO REFERENCE DATA

The photo reference data indicates the frame(s) on which the installation appears.

CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered cloud cover); HC (heavy cloud cover); SC-HC (scattered-to-heavy cloud cover); H (haze); CS (cloud shadow); SD (semidarkness); O (obliquity); and PQ (poor image quality).

SECRET
NO FOREIGN DISSEM

SECRET
NO FOREIGN DISSEM

SECRET
NO FOREIGN DISSEM